

# Product data sheet

## EF 300 \*



Holding magnet for locking an emergency exit with magnetic force of 3000 N

### AREAS OF APPLICATION

- NF S 61 937-compliant locking of an emergency exit to prevent unauthorised access
- Single and double leaf doors in escape and rescue routes
- Emergency exits or standard doors

**PRODUCT FEATURES**

- Integrated monitoring controls locking status
- Retention force of 3000 N
- Anti-remanence system increases safety

**TECHNICAL DATA**

Productname	EF 300 *
-------------	----------

**INSTALLATION MATERIAL****EF 300 SCP MOUNTING PLATE \***

EF 300 SCP mounting plate for EF 300 hold-open magnet



Designation	Ident-No.	Dimensions	Type of installation
/ PLATE PLATE FIXING SUPPORT EF300SCP (166039) *	166039	187 x 17 x 45 mm	Flush-mounted installation

**EF 300 L INSTALLATION BRACKET SET \***

Adjustable L installation bracket for EF 300 holding magnet



Designation	Ident-No.	Dimensions	Type of installation
/ SQUARE L ADJUSTABLE SERIE EF300 (135635) *	135635	250 x 48 x 30 mm	Flush-mounted installation

---

**300/550 Z INSTALLATION BRACKET SET \***

Adjustable Z installation bracket for securing the EF 300/550 magnetic counterplate



Designation	Ident-No.	Dimensions	Type of installation
/KIT Z AJUSTABLE SERIES EF300/EF550(+L) (135634) *	135634	185 x 55.5 x 118 mm	Flush-mounted installation

---

\* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.